

Breaking the Silence on MMR

Voices from the ground

A Study by Community Health Workers

2009

ai action india

5/27A, Jangpura B, Basement, New Delhi-110014 * Ph.:011-24377470/24374785
Email:actionindia1976@gmail.com

Content

- India's Silent Tragedy
- State Accountability and Maternal Mortality
- Evidence from the field
- Case studies from Urban Slums
- Case studies from Hapur, Uttar Pradesh
- Interviews with Dai
- In conclusion
- Recommendations
- References
- Abbreviations
- Glossary

India's Silent Tragedy

Maternal Mortality is not just about women dying at child birth, it is an indicator of the value placed on the life and well being of a woman by our society. High maternal mortality, indicates that a large number of women go through repeated pregnancies in life threatening conditions of poor nutrition and ill health. Maternal Mortality serves as an indicator not just of pregnancy outcomes, but also of a woman's health status.

Pregnancy and child birth are natural processes in a woman's life. **Motherhood** should be a time of expectation and joy for a woman, her family and her community but they are by no means risk-free rather the reality of motherhood is often grim in India. For those women, motherhood is often marred by unforeseen complications or even a loss. Some women lose the foetus even before being born or shortly after child birth; while some lose their own life and that of the baby.

Maternal mortality is significant in the context of **Human Rights Violation** as many of them are preventable, and as a result of various difficulties in accessing maternal health services. Since many deaths happen in the seclusion of women's home or on the way to seek help at a medical facility, they often go unrecorded. India's Silent Tragedy...

Women's Health and Reproductive Rights have been the foundation of Action India's Gender Equality Program. The "Women Centered Self Help Health Program", evolved a grassroots perspective to address Women's Reproductive Rights and Needs. The program focused on demystifying scientific knowledge of body and women's health, drawing out the tangled and interconnected layers of poverty, neglect, abuse, gender-based violence, discrimination, and subordination in the family that render women highly vulnerable at the time of their pregnancy.

Working with a Self Help approach enabled every woman perceive her body and health in a holistic manner. The approach was introduced in the year 1990 with a focus of expanding self reflection and self examination of one's own body. Collective sharing and helping each other induced innate compassion and willingness and strengthened the bonding between women.

Area of Intervention

Over 3 years, the Action India team covered 750 mothers in the 14 urban slum communities where Action India worked in close association with **Dais and 36 pregnant mother's groups**. This was followed by interviews of 450 mothers, in groups spread over 15 villages of Hapur block (UP).

The Pregnant Mother's Program involved an interaction from the third month of pregnancy to birth of the child and lasted till six months after the baby was born. We explored and heard their experiences of birthing at home and hospitals, and learned of their perceptions of how public and private health facilities function. We learnt that the health system grossly lacks accountability, in contradiction to a central human rights principle, integral to the realization of **Women's Right to Sexual and Reproductive Health**.

One of our unique experiences was recording the birthing experiences of community women working with Action India which was recorded and compiled to make the booklet titled, "**Janam**". The booklet raises a discourse on traditional ways of birthing in the hands of experienced dais and the trained ANMs working in Govt.'s Health Centers. We found there was an overlap in the use of the term TBA - 'Trained Birth Attendants'. The Dais who were fast disappearing and whose skills were not adequately transferred to the next generation of Dais were often persecuted for lack of certification. Ironically private nursing homes and hospitals left the actual delivery in their hands and the qualified doctors were only called for Cesareans and complicated deliveries.

ANMs are supposed to undertake the birthing of child at health centers in rural areas. They were most often not available and the family would call the local traditional Dai and only in the severest of situations were compelled to take the pregnant mother to the nearest available hospital often reaching too late. Our health workers found that hemorrhage was the most common cause of maternal death as a result of being anemic or having high blood pressure. In both the situations the public health centers were not equipped enough to measure blood pressure or even provide blood from their blood banks to a woman on the brink of life and death. Often the family has to donate blood before a pregnant mother was admitted and here comes the Big Gender Question. Who would donate blood from the family? Not the husband, he could not risk losing blood. Women in his or her family in

general are too anemic. At such a crucial moment of life and death blood has to be purchased at a cost of Rs. 8000 from a blood bank in order to replace the hospital supply. In reality, the pregnant woman is not admitted for delivery in the most critical of situations without the 'mandatory contribution of blood'. Our years of experience of working with the economically underprivileged and underserved women had led us to prioritize maternal health services and focus on the MDG goals to address maternal mortality by institutionalization of child birth. The target set by GOI to achieve 100% institutional births by 2015 seemed improbable.

THE GAPS IN POLICIES AND PRACTICES:

For India to achieve the Millennium Development Goal of reducing maternal mortality ratio, seems to be a milestone hard to reach. The family welfare programmes are concerned with meeting demographic goals and targets, which view women primarily as reproducers. Review of 8th and 9th Five year plan shows that there were hardly any descriptions of strategies or achievements related to maternal care and maternal mortality reduction goals. Even the 9th and 10th plan, which for the first time have included gender budgeting, do not include women's health other than reproductive health and family planning. Promotion of maternal and child health has been one of the most important objectives and integral part of the Family Welfare Programme in India since 1st and 2nd Five-Year Plans(1951-56 and 1956-61) when the GOI took steps to strengthen maternal and child health services.

Gradually the focus shifted from individualized interventions to attention to the reproductive health care, which includes skilled attendance at birth, operationalizing Referral Units and 24 hours delivery services at Primary Health Centers. The current Reproductive and Child Health Programme (RCH) launched in October 1997 and Integrated Child Development Scheme (ICDS) are other programmatic interventions by the state to provide services through PHCs and ICDS.

For better availability of and access to quality health care, in the year 2005 the government launched the flagship program "National Rural Health Mission" for the 2005-2012 periods. NRHM envisages providing services through strengthening public health system, making decentralization process more robust and increasing the overall financial outlays. In order to provide access to improved health care at the household level, female **Accredited Social**

Health Activists (ASHA), were appointed to act as an interface between the community and the public health system. They are expected not only to generate demands for services but are also supposed to promote referrals for universal immunization, escort services for RCH, construction of household toilets, and other health care delivery program (Ministry of Health and Family Welfare, 2006). From our study and focus group discussions it was found that within such comprehensive health care paradigm like NRHM, the ASHAs have gained recognition whereas the local traditional birth attendants have gradually lost their legitimacy. However, according to the latest NFHS (Round 3 2005-06) an overwhelming number of childbirths took place at home.

National Population Policy 2000: The need for bringing down maternal mortality rate significantly and improving maternal health in general has been stressed in the NPP. However the main objective of the population policy was, targeted population control without any regard to the human rights, privacy and dignity of the individuals. The two main aspects which were considered under this policy were sterilization operations and the two child norms.¹

Uttar Pradesh Population Policy (UPPP)

After having NPP, Uttar Pradesh state government took initiative and formulated a state specific population policy and tried to set realistic objectives, integrate family planning services with maternal and child health services, encourage informed choice, address gender issues and decentralize the programme implementation to a large extent.

Major Goals of the Uttar Pradesh Population Policy (2000)

- Later age at Marriage. Increase the median age at marriage for women from 16.4 years in the late 1990s to 19.5 years by 2016.
- Smaller family size. Reduce the total fertility rate from 4.3 children per woman in 1997 to 2.6 children in 2011 and 2.1 children in 2016.
- Fewer maternal deaths. Reduce the maternal mortality ratio from 707 pregnancy-related deaths per 100,000 births in 1997 to a maternal mortality ratio of 394 in 2010 and to below 250 in 2016.
- Fewer infant deaths. Reduce the infant mortality rate (IMR) from 85 deaths among infants less than one year of age per 1,000 births in 1997 to an IMR of 73 in 2006, 67 in 2011, and 61 in 2016.
- Fewer child deaths. Reduce deaths among children under five from 125 deaths per 1,000 children in 1997 to 105 deaths in 2006, 94 in 2011, and below 84 in 2016.

Source: USAID report on population policy initiative in UP

¹ Claiming Dignity Reproductive Rights & The Law/Anubha Rastogi/HRLN

Despite the clear policy intentions the progress on the ground has been very slow because of excessive emphasis on achieving targets, especially family planning targets; sometimes at the cost of providing basic services. The strategies were all directed towards penetrating the remote villages of UP and achieve targeted population control. Specialists claim that UPPP violates other crucial aspects of government policy. It re-introduced method-specific contraceptive targets, to the extent of 10 lakh sterilizations and 30 lakh spacing method users per year by 2005. This was a complete reversal of the government's target-free approach. It also violates Article 2 of the United Nations Convention on the Eradication of Discrimination Against Women (CEDAW), which underscores the right of individuals to freely decide the timing and spacing of their children² .

The other major lacuna is the inadequate and unequal distribution of resources. The ratio of hospital, functional sub centers, and beds to population in rural areas is much lower than that for urban areas. The ratio of doctors to population in rural areas is almost six times lower than that in the urban population. Per capita expenditure on public health is even much lower in rural areas, compared to government health spending for urban areas.

The fifth Millennium Development Goal (MDG) is committed to reduce the MMR worldwide by three-quarters by 2015. India continues to struggle with the alarming rate of maternal mortality. Over 22% of the world's reported maternal deaths occur in India, most of which are preventable, given the proper infrastructure and adequate resources.³ According to the Govt. of India, 301 women die annually for every 100,000 live births. The state of Uttar Pradesh has one of the highest MMR at 440 deaths per 100,000 live births, which means that nearly 30,000 women lose their lives before, during or after childbirth or abortion every year in Uttar Pradesh alone

In order to meet the commitments spelled out in MDG, the GOI targets to reach 80 percent institutional birthing, 100 percent of deliveries to be attended by trained personnel, and reduce maternal mortality ratio to a level below 100 per 100,000 live births by initiating Janani Suraksha Yojana (JSY), which offers monetary rewards for mothers who have their deliveries in a government institution. These kind of state-sponsored interventions have exacerbated the problem and this approach neglects the lived reality of India's poor and vulnerable women. The Uttar Pradesh state government monitors the success of the JSY by setting and achieving "targets" for the number of facility-based deliveries, without monitoring or ensuring that such deliveries are really safe and include women who develop pregnancy-related complications. The government's push toward institutional births-roundly supported by the World Bank-has the negative result of displacing the centuries-old, traditional birthing methods developed by birthing attendants, or dais.

² "UPPP Ignores the ground realities", Rashme Sehgal, Infochange India

³ Maternal mortality in 2005: estimates developed by WHO, UNICEF and UNFPA and The World Bank. *Department of Reproductive Health and Research, World Health Organization, Geneva 2007.*

State Accountability and Maternal Mortality

Legal Framework to Address MMR and Reproductive Rights

Reproductive rights, even women's health rights are nowhere found within the Indian legal system. Over the years, through judicial interpretations numbers of rights have been held to be included within the right to life. The issue of maternal mortality has been taken under Right to health.⁴ Full realization of the right to health, including maternal health, means progressive realization of both aspects of the right to health, that is, the rights to health care and underlying determinants of health. These determinants include food and nutrition, access to safe and potable water, adequate sanitation, sufficient quantity of hospitals, clinics and other health-related buildings, trained medical and professional personnel receiving domestically competitive salaries, and essential drugs.⁵ However, most of these factors and discriminatory feeding practices, child marriage, early child bearing, gender and generational power dynamics in families, unwanted and unsafe abortions, lack of functioning public health facilities, lack of access to EmOS etc are all the rights denied in Indian scenario.

At its eleventh regular session in 2009, **Human Rights Council recognized Maternal Mortality as a pressing Human Rights Concern** and adopted a landmark resolution on **“Preventable maternal mortality and morbidity as human rights.”** which is a step towards ensuring every woman's basic human right to a safe and healthy pregnancy and childbirth⁶.

Article 12 of the ICESCR (International Covenant on Economic, Social and Cultural Rights) guarantees the right to the highest attainable standard of health. The UN Committee also affirms that states are required to take measures to improve child and maternal health, sexual and reproductive health services, including access to family planning, pre- and post-natal care, emergency obstetric services and access to information, as well as to resources necessary to act on that information. It recommends that states remove all barriers to women's access to reproductive health.⁷

⁴ Claiming Dignity Reproductive Rights & The Law/Anubha Rastogi/HRLN

⁵ para 11 of ICESCR committee Some of the underlying determinants health identified by the Committee are as access to safe and potable water and adequate sanitation, an adequate supply of safe food, nutrition and housing, healthy occupational and environmental conditions, and access to health-related education and information, including on sexual and reproductive health.

⁶ <http://reproductive-rights.org/en/press-room>

⁷ UN Committee on Economic, Social and Cultural Rights (CESCR), “Substantive Issues Arising in the Implementation of the International Covenant on Economic, Social and Cultural Rights,” General Comment No. 14,

The Indian Supreme Court has held that the implementation of the obligations in the international treaties is not conditional upon being incorporated in domestic legislation. Hence district level and state level authorities have the freedom to take measures to directly comply with India's international obligations. Likewise, Indian courts also have the freedom to direct governments to take measures to implement these binding international obligations. The **CEDAW** committee in its General Recommendation no.24, Article 12 (para 17), places an obligation on States parties to take appropriate legislative, judicial, administrative, budgetary, economic and other measures to the maximum extent of their available resources to ensure that women realize their rights to health care. It recommends the States to take "all appropriate measures" to eliminate discrimination against women in the field of health and ensure access to healthcare services in connection with pregnancy, confinement and postnatal care and ensure adequate nutrition during pregnancy and lactation as well. Moreover, according to article 12 para 31(c) the State parties should in particular prioritize the prevention of unwanted pregnancy through family planning and sex education and reduce maternal mortality rates through safe motherhood services and prenatal assistance. And, Article 24 of Child Rights Conventions particularly mentions that States shall take appropriate measures to ensure appropriate pre-natal and post-natal health care for mothers

Human Rights that can be applied to maternal mortality

- Right to life
- Right to the highest attainable standard of health
- Right to be free from cruel, inhuman or degrading treatment
- Right to equality
- Right to education
- Right to freedom
- Right to information Discrimination
- Right to decide the number and spacing of children.

These rights are found in key human rights instruments including the Universal Declaration of Human Rights; the International Covenant on Civil and Political Rights; the International Covenant on Economic, Social and Cultural Rights and CEDAW.

Participatory Research Action: Objectives

- To do a comparative mapping of maternal health of pregnant women in urban slums and rural villages.
- To review access and delivery of public health services in rural areas and urban areas.
- To evolve strategies for improving comprehensive maternal health care and service delivery.
- To promote government accountability for the implementation of equitable policies and programs to reduce maternal mortality.
- To identify alternative ways to make birthing safer by giving greater control in the hands of the women themselves.

Area of study: 15 villages of Hapur, Ghaziabad district in Uttar Pradesh and urban slums of Delhi. The villages covered under the study were: Katikhera, Kharkari, Sudna, Tiyala, Gaundi, Ubarpur, Nawada, Muradpur, Ayadnagar, Salai, Ghunghrala, Amarpura, Bhikhampur, Sultanpur and Mansurpur.

A brief interaction with 3 doctors and 8 ANMs in Hapur Tehsil revealed the pathetic conditions of the sub centers in the villages. According to the ANMs a good percentage of women delivered at private nursing homes because of lack of available services at the health centers. The Community Health Center (CHC) based in Hapur block operates with the minimum infrastructure and human resources. As reported by women and staff nurse, in the year 2007, owing to some wrong handling of a complicated case, and the resultant retaliation from the public, the lady gynecologist was suspended. Since then the hospital was running without a lady doctor. A doctor was coming from 8:00 am to 2:00 pm on contract basis. The equipments required for the emergency operations, facility for blood transfusion etc. were not available and the cases were referred to the district hospital, Ghaziabad. The scenario of Primary health center (PHC) situated in Nurpur was even worse as there the cases are totally in the hands of ANM. As regards the transport facility there was only one ambulance to cater to the whole of Hapur Tehsil.

Participatory Research Methodology

- The research design includes observation of pregnant women over 18 months covering antenatal and post natal care.
- Monthly meetings with pregnant women's groups created awareness and educated them of the need for additional nutrition and exercise.
- The importance of registration at health care facilities was emphasized.
- In depth interviews and FGDs were conducted to assess the experience of birthing, both at home and institutional births.
- Reflections and recollection of cases of maternal mortality were attempted to be traced through collective memory as no records were available on the subject.

In-depth Interview: Primary respondents

Pregnant women (450) were interviewed in Hapur block. The interview schedule was designed in a way so as to address not only adverse experiences in institutional delivery but to get a holistic picture of the nutrition, rest and customary practices that go with pregnancy and in the way these affect the maternal health of women.

Secondary Respondents

ASHA, Aanganwadi workers, Action India Community Health workers, 17 Dai and ANMs, CHC staff nurse and doctors at PHC

Focus Group Discussions

8 FGDs were conducted with pregnant women, Dai, ANM, ASHA and Aanganwadi workers. An integral part of the FGD was to inquire into the schemes of the government, like the Janani Surksha Yojana, Role of ASHA and ANM.

Case Documentations

Experiences of women who have delivered in hospital and had adverse experience not only in terms of availability of services also in terms of ill treatment by doctors and nurses.

Review of Literature

Various studies have been done to study and measure the maternal mortality rate, changing role of ANM and its implication on maternal and child health. We referred to various study reports and the survey reports.

The National Family Health Survey (NFHS 3) is a national level household survey report was consulted to gather information on fertility, family planning, infant and child mortality, reproductive health, child health, nutrition of women and children, and the quality of health and family welfare services. The latest round conducted in 2005-06 (NFHS-3) samples represented more than 99 percent of India's population living in all 29 states. The NFHS reports present health indicators disaggregated by urban and rural areas mask the inherent differences which exist within urban areas.

Various articles from Newspapers and journals were referred, which helped us to understand the various policies, extent of political will, regional disparities and gaps in promises made by Govt. and ground realities. A study "Sparing Lives"- Better Reproductive Health for Poor Women in South Asia, conducted by World Bank in five South Asian Countries to study the recent trends in maternal mortality and morbidity. Besides it examined the availability and utilization of existing health facilities and targeting poor and deprived section of the societies.

To understand and contextualize reproductive rights within Indian Legal and Policy framework various documents were gone through. One of these was the book "Claiming Dignity" from Human rights Law Network. Also the articles and general recommendations made in international documents like CEDAW, International Covenant on Economic Political and Cultural Rights and Convention on Child Rights were referred to gain insight into the international commitments and in country Obligations of State.

The studies and publications of Action India and the community based reports of Self Help Health Program helped a lot in developing perspective on public health and design interventions the books like Janam.


Evidence from the Field

In the course of study conducted in urban slums and villages of Hapur, it was found that maternal mortality is determined by a mixture of biological, socio-economic, cultural and contextual factors and their complex interactions. Therefore the study attempted to address maternal health and locate the other socio cultural factors that obstruct and underplay the importance of healthcare and lead to maternal death. Also some secondary sources interviews were conducted to collect the evidence to establish Human rights principles of entitlement and accountability and improve responsiveness and functioning of the public health systems.

As maternal mortality is affected by a range of socio-economic determinants, this study explores the various indicators that directly or indirectly relate with viz: domiciliary care practices, inadequacy and unequal distribution of emergency obstetric care services. Fertility, order of pregnancy, preference for place of delivery, nutrition, availability of skilled birth attendants and dais, use of primary health services, physical access to health care (transportation and finances) etc.

Fertility Indicators


Fig. 1.



Age at first conception and frequency of pregnancies is an important predictor of maternal mortality. As reproductive concerns begin in adolescence, it is essential to understand how much ready, physically and psychologically, the adolescent is for sex and reproduction. The demographic survey was focused on

pregnant women from 15 to 44 yrs.. The survey found that 11% of women between 15 to 20 years were already mothers or were pregnant with their first babies. The data from the survey revealed that 58% of pregnant women were of 21 to 26 years age group and most of these were pregnant for the third time. This indicates the early marriage and fertility of young women.

Fig. 2



In the FGDs women said that they were married at early age of 14 or 15 and had two children age of 20. However this does not really gives the total no of number of pregnancies, as in between many of them said that they had miscarriage also. These women in the village areas had not received any counseling on

the use of contraceptives, importance of child spacing or health risks involved. A few women who were above 30 years age practiced periodic abstinence.

B. Contraceptive Use


All most all the women knew at least one method of contraception. However, majority were unaware of the range of available contraceptives. Those who were aware of contraceptive pills feared the side effects. The low use of contraceptives among young women (between 15 to 19 years) is common; this may be due to lack of knowledge, inability to express their wish to delay conception and lack of opportunity to interact with the ANM. The situation is even worse in Muslim dominated villages. The religious beliefs keep the adolescent and young women away from any kind of information on reproductive process and contraceptives. In urban slums the women were aware of the methods of contraception; however the use of contraceptives is low both in urban and rural settings as women have women no decision making ability in this matter.

C. Domiciliary Care Practices

To study the underlying socio cultural causes for maternal mortality, the domiciliary care practices for mothers in the community and the available primary services were studied in detail. **Hours of work and rest, nutrition and other practices were taken as indicators to understand the socio cultural practices that support the antenatal and postnatal care.** During the Action India study in Hapur, the community health workers formed groups and discussed the practices that directly or indirectly affected the reproductive health.

In the urban areas, though women migrate from the various parts of different states, they are better exposed to progressive trends. The women staying in nuclear family generally have more independence and they keep themselves open to both traditional practices and the modern pattern of antenatal and postnatal care.

Diag: 3



As the diagram shows in general the hrs spent on work is more than that of rest. In rural areas the majority of women appear to contribute most of the work in animal husbandry and make a 40-70% contribution to crop production. Some women and girls (especially in Muslim dominated villages like Sultanpur, Salaigaon and

Gondi) are confined at home. These women are generally engaged either in household or do some bead work on piece rate. From the FGDs it was found that women engage in work during pregnancy with a belief that it helps in smooth and normal delivery, which is less expensive and can be done by Dai at home.

Postnatal Care at Home: Rest and Diet

In general the post partum period in villages or in urban areas is of 40 days. However it may vary in case of giving birth to a male or female child. Around 69 % women said that in case of male child they are more cared and get rest for full period of 40 days, but in case of girl child it may vary from 40 to 10 days. Especially in cases where 2nd girl child is born. Son preference in urban areas is similar to the rural areas. Moreover period of rest also depends on where the women deliver; at natal place they take rest for a longer period than in in-laws place.


One of the ANM in Gondi village said that adolescent girls and young women are vulnerable to complications during delivery due to deteriorating health conditions. In the case they have given birth to a girl child, the pressure to produce a son is imminent to which they are bound to comply, thus they cant assert on spacing.

D. Nutrition


A general observation of Aanganwadi and nutritional supplement through ICDS scheme was made to examine the links between the nutrition supplement to the pregnant women within community and its impact on their health. Several background factors were studied, whether they got enough food to eat, the volume of staple food consumed during and after pregnancy, number of days after which food is given, time of breast feeding etc were some of the aspects taken as primary indicators.

Though women and girls are meant to be served nutrition supplements through Aanganwadi centers in every village, and iron folic acid is meant to be distributed free to all pregnant women, the quality and amount of diet being provided hardly fulfilled their requirement.

Diag: 4



Diag: 5



As regards the customary practices related to food, 88% women said that they were suggested to eat less. There was a common belief that rich and heavy diet may lead to enlarged fetus and consequent painful delivery, or the fetus may get crushed in the birth canal. Thus eating less and

light food during pregnancy is a general customary practice in the villages.

The other important findings related to nutrition during survey and FGD were:

- Women take low calorie diet in the initial months of pregnancy. In poverty stricken families, the pregnant women could hardly manage a meal because of food shortage; however they take staple food which is rich in nutrients. This could be substantiated by the data which shows that 28% women take 2 to 3 chapattis and a bowl of rice throughout their pregnancy and only 2% women increased appetite in late pregnancy.
- 43 % women belonging to well off families consumed staple food and calorie rich diet as well. Whereas in the poor families the common expression was: **“we eat whatever we get, we don't have much option”**.
- Most women get calorie rich diet after delivery as it is customary to supplement the lactating mother. 79 % women said that they start breast feeding after the third day of delivery. Only 9% were those who believed in feeding the same day. Also in FGD, we found that in the case of birth of a girl child the care of mother and child was not taken seriously and after giving birth to two consecutive girl child they are totally neglected.
- It was commonly observed that primary health staff belonging to higher castes is reluctant to visit Scheduled Caste households for immunizations and other primary health services. Asha, Aanganwadi workers and traditional birth attendants remain the only caretakers to attend to women from SC/ST castes.

Anemia

While interacting with pregnant women, the community health workers found that most of the women were anemic and underweight. Low supplement of nutrients and the practice of "eating last and the least" gradually lead to poor health and anemia. There is a total neglect of a mother's health in India. A big chunk of adolescents, belonging to 15-19 yrs age group are more at risk as they usually have multiple deficiencies of iron and minerals. **Thus giving one iron tablet a day to a woman during her pregnancy is not always effective. The root of the problem is adequate quantity and quality of food continued over the period of antenatal care.** The pregnant women have to fetch water, make fuel, work in the fields and tame buffaloes, etc., all on the little amount of food they can afford. The ICDS aanganwadi scheme has not achieved much due to its limitation to food supplement for lactating mothers.

E. Pregnancies and Abortion


As per our study, the rate of abortion and ultrasound is higher in urban areas in comparison to rural areas of Hapur. Out of 423 women interviewed in Hapur only 6 women accepted that they had undergone abortion, only 2 of them gave the reason and 4 of them did not respond. Though the reason for abortion was not revealed, in both rural urban areas generally abortions were conducted on the advice of doctor. Only a few women said that the doctor anticipated deformities or the woman was not in position to carry forward pregnancy. Most of the abortions were done in the first three to four months.

Ultrasound is not widely available in village areas. 20 to 21 percent of women had undergone ultrasound in Hapur block or Ghaziabad city. Apparently as it was reported, 80% women had an ultrasound to know the child position of placenta. Among these were those women who had accessibility to private nursing homes or those who had some problems like regular bleeding, low weight and had approached doctor either at district hospital or to the nursing homes. However at the FGD, all women stated that women rarely have a say in the decision making .The decisions are jointly made by the mother-in-law and husband. Although some of the women reluctantly accepted that there is family pressure and son preference when they are sent for sex detection and consequent abortion in case the fetus is a female.


Backdoor abortions (both in urban and rural areas) are common which have negative consequences. From FGD in Sudna, it was clear that backdoor abortions are quite frequent which remain unreported and is given the name of miscarriage. Such unsafe abortions may be the cause of maternal mortality but is not reported. According to estimates 6 lakhs women die due to unsafe abortions every year.

Reproductive Health care Services: Role of ASHAs and Janai Suraksha Yojna

Diag: 6




Diag: 7



The overall rate of registration was 53%. Though at the sub center level it reached 76%. This was an outcome of frontline responsibility of ASHA to organize client side and take the Janani Suraksha Yojna under which pregnant women receive cash payments for undergoing antenatal check ups, T.T. immunizations and institutional delivery.

Diag 8



To understand the major reason for not getting registered, it was necessary to ask 'who and why' these women were not getting registered. As the reasons from above diagram confirm, these women are those who are either from poor families or remote areas where the public health facilities have not yet been reached. Lack


of awareness dissuaded them to register and more so they feared they would not be treated with respect if they went to hospital.

F. Antenatal Care

As per our findings, despite the strong mandate of Govt. of India to launch NRHM as an umbrella of primary health services, antenatal care is centered only on T.T. immunization and IFA supplement. Blood pressure is often not measured, the reason that either there is

no machine available at sub centers or ANMs do not want to carry the machine to the villages. In most of the villages sub centers are not functional. It was found that only 25% women received Iron Folic Acid supplements. The lack effort to distribute IFA is one of the reasons. According to the ASHAs complains the mothers did not value the importance of IFA. The antenatal coverage is also affected due to the religious beliefs and related non compliance with IFA supplementation.

Diag: 9



At the time of in-depth interviews majority of the Muslim women were disinterested in undergoing any kind of medication during antenatal care as they consider pregnancy as a natural process and their religion does not allow medication during pregnancy. Women in general lacked


knowledge about reproductive health risks and were not aware of importance of additional requirement of IFA during pregnancy.

G. Infant Mortality


Responding to the reasons behind the infant deaths. 58% women said it was miscarriage, 13 % were still born and around 18% of women did not respond. The period of these deaths were 30% within 24 hrs and 39% within a month or so. In Muslim dominated villages like Salaigaon and Sultanpur, the occurrence of still birth was more frequent.

The other major reasons of birth related IFR as identified from FGDs were (i) Socio-economic and geographic problems like poverty, inadequate information among people, lack of access to health care (ii) anemia among women, malnutrition, low birth weight (iii) poor availability of health services(both preventive and curative) to reach the targeted population effectively.


Diag: 10



Diag: 11



Diag: 12




From FGD with ANM, Asha and aanganwadi workers it was found that majority of children are born with low birth weight. These children are at a higher risk of mortality. One of the major causes of low birth weight is the poor nutritional status of the mother before and during pregnancy. They also said that, early child bearing and low spacing among the pregnancies lead to still birth. As the study reflects, female infant mortality figures are higher than male. As visible from the above chart, in a few families the number of dead female children is more than 3.

As the study reflects, female infant mortality figures are higher than male. As visible from the above chart, in a few families the number of dead female children is more than 3.

H. Delivery: Institutional or Home based?

With an aim to understand the need and choice of women residing in rural areas, the health workers of Action India collected information from the pregnant women groups formed for the purpose of observation and maternal health awareness.

Diag: 13




Despite the efforts made by govt. to strengthen institutional deliveries, majority of the women prefer to deliver at home. Especially in villages where the health facilities are not accessible. Dais are still easily available. However some women have moved towards hospital and private nursing homes which suggest that the efforts of ASHA to implement JSY scheme under NRHM is having effect.


In order to locate the clients who go for institutional deliveries and to understand the changing trends in preference for birthing, pregnant women were classified into two categories.

- A. Those who were young and first time pregnant
- B. Those who were second or third time pregnant

Diag: 14



Diag: 15




Among both the categories preference for home based delivery was maximum; however among those who were 2nd or 3rd time pregnant 85% women preferred home based delivery with the help of "Dai". The economic constraints distance and location of hospitals and poor transportation facility was cited as causes. Fear of cesarean delivery and misbehavior of doctors and nurses were the major reasons behind the preference for home based delivery. It would appear more women wanted home births in spite of the decline of the experienced "Dai Maa", and relied on the support systems of the family and village. Preference for delivery in hospitals was minimal. In the FGDs, women said that, driven by monetary incentives under Janani Suraksha Yojna, families have started choosing institutional birthing over home birthing.

I. Maternal Health Care and Dai

Various persons are engaged in care during home based child birth; this includes senior family members, persons skilled in conducting child birth, person who works as cord cutters, masseurs and so on. However, Irrespective of caste and class 'dais' are found to be socially and emotionally connected to the pregnant mother. In 15 villages there are altogether 21 traditional "Dai". Out of these 21, 17 of them are traditional and have acquired skill over the period working with seniors. Only 2 were govt. trained and one had worked at a private nursing home to learn the birthing skills.


Diag: 16



The "Dai" is locally available or called from the nearby villages. They see her role beyond conducting childbirth, in continuum of care and support of mother and child health. Unfortunately the trained ANMs are not available when needed at night. Most of the ANMs are posted in villages but stay in

other parts of Hapur Block and thereby not easily accessible.


Diag: 17



From the FGDs and interviews of Dai it was found that very few were formally trained by the Government. And some of them did not carry out the work after training as their family members did not allow them. Those who are traditional and have gained experience over the years are respected in the

society for their birthing skills, and their role in post partum care. Also, they serve as a bridge between the clients and health system, sometimes accompanying women to health facilities in case of complications which they could not handle. They had enough experience to identify the risks early and refer the pregnant woman to the hospital or take her to a doctor.

Diag: 18



Of the 17 Dais interviewed, 15 had learnt their skills over the years through working with other Dais or elderly women in the community while others were still in process of learning. The experienced Dais are old and dying out. The new generation dais does not have sufficient skills or experience. They

are dependant on the local RMP (Registered Medical Practitioner) to give pitocin injection which as a practice is controversial.

The Dais, said that they faced non cooperation and disrespectful attitudes of their counterparts in hospital settings. They often get into conflict with ASHAs who have been recently appointed under NRHM as there is conflict of interest. And also they

Findings from interviews of “Dai”

Out of 21 dais interviewed 6 were above the age of 60, including 2 of 80 yrs age, 10 were between 50 to 60 yrs, 4 were between 40 to 50 and only 1 dai was of 27 years. Dai above 70 is rarely called for delivery, but they are still valued for their experience and are called in difficult situations. Almost all of them said that the elderly women in the family generally motivated the younger ones to learn the birthing skill, but two of them clearly said that they started the work to get some money. All of them had learnt the skill and had tackled the difficult deliveries with the help of elderly dais and gradually developed skill. Ramvati, a dai from Ayadnagar said that she usually avoids injections, but others mostly call RMPs for injection to aggravate pain but did not mention the name of the injection. They could not recall exactly how many deliveries they have performed. But the numbers range from 1000 to 100.

One of them said that her husband and son do not eat anything made by her as they consider her work degraded. According to her the traditional skill is dying out gradually, the major reason she attributes is the social taboo and indignity added to the work. She also added that ever since the government has started the Janani Suraksha Yojna and ASHAs have been appointed, women generally prefer institutional birthing but there is no arrangement for emergency. She informed that there is a lot of conflict between ANM, ASHA, AWW and ANM as they are all public health workers but smilingly she refused to disclose the reason for conflict

Case Studies from Urban Slums

Case : 1

Name: Suchita

Area: New Seemapuri

Age: 32 years

Suchita had a normal delivery in hospital. Right from registration to delivery she was hassled by the hospital staff. She was not registered in GTB on the ground that the locality she belongs to, is not under their jurisdiction. The nurse asked her to go to the dispensary of New Seemapuri. With the help of Action India Community Health workers, Suchita got registered in the dispensary which has 10 beds, but no electricity or water supply. She got continuous support from the health group on nutrition and getting access to antenatal care from the dispensary. But at the time of delivery she had had the worst experience.....which she recalls "***mujhe bahut tej dard ho raha tha mai chilla rahi thi , kai bar awaj lagaya nurse ko aur dai ko lekin har bar unhone mujhe dat diya, jab dard bahut jyada hone laga to mai baith gayee aur pata nahi kab bachha ho gaya... itne me nurse ne dekh liya aur gusse me mere kamar par laath se mara....mai chillayee phir dusri nurse ne bhi mujhe mara...mujhe pata nahi meri kya galti thi.. baad me pata chala ki mujhe bachha ho gaya hai***". This was not the end of her problem, after the birth she was told that her child is too weak and blood is required. After a long hunt she got someone from the locality to donate blood for which she had to pay Rs. 200. However the blood was not used and she was said that the child is ok now. She was released and within two days the child was in sinking condition, again she went to the hospital but the doctors refused to admit the child. Suchita had to run from one hospital to another to save her child's life...and finally she got her child admitted to a private nursing home and spent Rs. 2000. As she recalled the whole situation she was outraged and said that birthing is a very natural process and we should seek "safe birthing" wherever it may be, get registered, take nutritious diet but deliver wherever we get proper care and attention. Institutional birthing should not be mandatory. She said that she had to spend around 2500 /- for medicine and tip to the nurse, "dai" and she got 600/- under JSY.

Case: 2

Name: Lalita (changed name)

Area: Sundernagri

Age: 27 years

Triveni was pregnant for the third time and had no difficulty during her pregnancy. She was in the pregnant mothers group of Action India and said that the community health workers were of great help to her. They not only guided her to get registered at the govt. hospital, they also taught her about the nutritious diet at home, regular exercises and check up and importance of IFA. Finally when she was in pain, she was taken to GTB. The nurse on duty said that this is a case for cesarean delivery, but the doctor was not on duty. So she insisted on going to some other hospital. As the private nursing homes charge a lot Triveni's husband got worried as he had to arrange at least Rupees 10,000/- immediately. But Triveni was confident that she will have a normal delivery and she refused to move to another hospital. Within an hour she had a normal delivery on the verandah of the GTB hospital. The nurse on duty got angry and did not give the child to her until the doctor came. The child was under weight, the doctors taking advantage of the situation negotiated to exchange the child with a healthy one for Rs. 1500. The doctor would benefit from both sides, but Triveni was happy to keep her own baby.

Case : 3

Name: Rabiya

Age: 23 years

Area: New Seemapuri

"When I had my first pregnancy, Basanti didi from Action India included me in the Pregnant Women's Group and guided me throughout pregnancy and she was with me even at the time of delivery". Rabiya has two healthy children now and she reaffirms that the community support group can play a supportive role in antenatal and postnatal care. She expressed her gratitude to the Action India community health workers for guiding her throughout, as she was too young at the time of her first pregnancy and her mother in law did not help her initially. But after attending two three rounds of pregnant mothers' group meeting even her mother in law was quite supportive. Rabiya had normal deliveries, one at home and other in hospital. Her first delivery had been in the presence of Action India Health Worker while in the hospital her delivery was not very smooth. She was in acute pain but no one from the hospital staff came to attend to her delivery. The Dai at the dispensary refused to touch her, and kept on asking for money. Finally Rabiya delivered child with the help of elderly women from her family.

Case: 4

Name: Bhagwati

Area: Sundarnagri

I preferred hospital for my delivery. But I did not know that there will be such a lot of hassle. Earlier when I went for immunization, nurses and staff behaved well but at the time of delivery doctor was not there and nurses said that it is a cesarean case and before doctor could attend me she asked for blood. I had been there with my mother in law who herself did not know much about the process she called my husband. For us it was difficult to manage blood. Men generally do not want to donate and we did not have money to purchase blood. I was in acute pain but I was not taken to Operation Theater until my husband arranged blood. However no blood transfusion was done. Ever since I decided to take proper care during pregnancy and have a normal delivery with the help of Dai. However there are only two dais in Sundarnagri. These days even they are busy and since they are in demand they also ask for more money, especially if male child is delivered. But they handle the normal cases efficiently and take care even if there is no other family support.

Case: 5

Name: Sunita

Area: Sundarnagri

I am from Bihar. I did not conceive for 12 years and planned to adopt a girl child of my sister. Then I came in contact with Dulari didi from Action India and attended the health meetings of Action India and even though I was not pregnant I learnt a lot from fertility awareness program, I conceived later and now I have two children. The health workers guided me to take the nutritious diet and followed up every week. When I conceived I was happy as had lost all hope. Both the deliveries were at home and without any complication. I suggest that more women should come forward to learn the skill from the existing Dais. These days no body wants to learn the skill as it is not taken as a dignified job. However every woman needs the help. As far as I know these days though women rely on hospitals, still most of them want a support which they get only from Dais and the elderly women at home. The Action India health workers have immense potential as they shared a lot of information with us. I am really thankful to Action India health workers who guided me right from conceiving, through pregnancy to six months post delivery. Now I guide women in my neighbor and family with the knowledge I have gained from them. The information helped me understand the importance of our body, nutrition and family planning.

Case: 6

Name: Gayatri

Area: Sundernagri

Gayatri says that her story is a little different. She got married at the age of 14 and soon she was pregnant and she did not know that she was pregnant. It was in the third month that she told her mother in law that she has escaped two periods and has pain in lower abdomen. Her mother in law then took her to doctor and got her pregnancy confirmed. All that she wanted to say was her in laws were conscious and particular, especially her mother in law as she wanted a "grandson". Doctor diagnosed that Gayatri was anemic and suggested to take IFA regularly. As she says "jab beta chahiye tha isliye meri khub sewa kiye- dawa, khana sab time se milta tha" But at the time of delivery the due date had crossed and doctor admitted her, they pricked her several times for glucose and made futile efforts to induce pain. For two days she stayed without any pain. She was ultimately scared of the screams of other women and behaviour of nurses towards those women was also not good. They slapped women. Third day Gayatri came back home without informing anyone and felt relaxed. She asked her neighbour to inform the Action India health worker and shared her experience in hospital. Next day the health worker visited gayatri's house and suggested to call dai. The dai of the area came and gave her hot milk twice and the pain started. Mother in law insisted to go to general hospital but Gayatri did not want to go back in that "jail" and with the help of her mother in law and Dai she delivered a male child at home. She personally feels that hospitals do not always give comfort...but of course we should see a doctor if needed. For the second child Gayatri is mentally prepared for birthing at home.

Case: 7

Name: Geeta

Area: Sundarnagri

Geeta was a member of Action India Pregnant mother's group. During 2007 she was pregnant for 2nd time when she joined the group. As Geeta said "the main support I got was the knowledge of our body from the health workers of Action India. In my family before marriage we are not allowed to discuss much on reproductive health. After marriage also I could not share anything with my mother in law. When I conceived, Dulari didi(Action India health worker) contacted me and included me in Pregnant women's group. After joining the pregnant maother's group I got to learn a lot. I used to bring my mother in law along with me to the meeting. She also learnt a lot and made me to take all precautions for safe delivery". Geeta feels the need of such support group in the community. She smilingly says "I had one delivery at home and one in hospital. The second child was born in GTB (government hospital). According to Geeta the doctor and the nurse both behaved very well and attended

her in a very polite manner. Geeta says that bad behavior of nurses is also because of the women as they do not cooperate and scream badly. However, she said that I remember my first delivery was also quite comfortable and by Dai. Second time she went to the hospital only because of the recent trend and with a belief that hospitals have good facility and doctors will attend properly. But hospitals are over crowded, two three women are lying on one bed. The situation is even worse in Jachha Bachha Ghar in New Seemapuri.

Case: 8

Name: Anita

Area: Sundernagri,

The respondent had basic knowledge of hygiene and she was very clear in her words that she preferred birthing in hospital but only if there is proper facility and doctor available for delivery. The major reason for preferring hospital was hygiene and privacy. She is one of the eight members of the family staying in two small rooms. She said “aap socho humlog kaise rahte hai, hame badi mushkil se apne liye jagah milta hai”. The drains flowing in front of the houses make the place unhygienic. Feeling a little educated she mentioned that though she doesn't know much about hygiene but yes, she understands the importance of maintaining hygiene and related precautions during the childbirth. She therefore feels that at least in hospital she needs not care about hygiene. Her preference for hospital is also because of uncertainty in the availability of Dai. There are just two dais in Sundernagri, and one who comes from nearby locality charges a lot. She said that most of the women have a card made in St.steps, madam ji always reminds us of the due date of immunization. However she expressed her anger for the Government hospitals saying that” sarkar bolti hai ki janta k liye sabkuchh hai par humlogo ko to koi suvidha nai hai....hospital me na doctor milti hai na bed khali rahta hai ek bed par char char aurten rahte hai” .

Case : 9

Name: Kusum

Age: 36 yrs

Area: Gagn Vihar:

Kusum has three children and all three were born at home. Though she had no one to help at home her neighbors helped her and she does the same to her neighbours now. She says “birthing needs health care and stamina to bear pain. My first child was born in the presence of Dai but the 2nd and 3rd were borne before Dai came. I used to assess my physical condition and as I felt pain I never rested, rather continued to do my routine work so that I get more acute pain. Besides I kept taking hot tea, hot water and finally hot milk. In my last birthing that was three years back I took pain again and again, then asked my neighbor

to call Dai, who was then busy attending other women. By the time she came my daughter was borne...but of course I don't know what all happened, as I was unconscious for a while. Dai Maa took care of everything. She did massage which was of great relief. We have migrated from UP and hardly earn our living. Thus it was good that my husband had to spend very little in the whole process." Jo paisa hum doctor ko denge wo apne khane par kyu nahi kharch karenge."

Case: 10

Name: Mamntesh

Age: 40 yrs

Area: Gagn Vihar

Mamtesh has no child. She had conceived long back and had a male child but the child died within two days of birth. She says "mujhe pata nahi kya hua tha lekin mai itna janti hu ki maine apna bachha hoispital ki laparwahi se khoya hai, aur phir kabhi bachha nahi hua" With tears in her eyes she said that she had normal delivery and everything was fine at home, but on the second day of birth the child started gasping and they rushed to the hospital. The hospital staff refused to take up the case and they had to run from one place to another and by they time they reached to a private nursing home it was too late. The doctor in the nursing home later said that the child could have survived if brought even half an hour earlier. Now she regrets that she should not have relied on government hospital. She said" ye private or sarkari hospital k bich humlog phas jate hai aur bhagwan ka diya hua sabse anmol chiz kho dete hai... sabhi paise wale log to private hospital jate hai, hum bhi paise kamayenge aur private me hi ilaz karayenge, kamse kam jan to bach jayegi". Mamtesh days.expressed her feelings and said that the most important thing is the socio economic gaps in the society which has very categorically divided us on the various bases like caste, economic condition, and more recently educated and uneducated and good looks is also very important these

Case Studies from Hapur

ASHA sometimes face very difficult situation when doctors do not support and the patients are harassed. According to one of them “As we have been appointed to promote institutional birth, we try our level best to prepare women for institutional delivery, but in some cases we lose our image and become the defaulter”. Women are needlessly suffering serious harm during pregnancy, childbirth, and the postnatal period until the government creates reliable and affordable services. Also effort to ensure that the ASHA program benefits the pregnant mother and child and should not be hijacked by unscrupulous people.

Case : 11

Age: 21 years

Village: Sultanpur

The respondent belongs to Muslim community and had conceived for the second time. She shared her experience of her first pregnancy and delivery. As she said she had faith in the experience of the traditional “Dai”. She said, that Dais is easily available anytime and they not only perform delivery but they also help in household chores if needed. She recalled that during her labor pain there was no one at home; her mother in law had gone to the weekly market and would only return by evening. Women in the neighborhood called the Dai who attended her and arranged whatever was required. Within an hour she delivered a male child. According to this respondent if there is no complication there is no reason for going to hospital as the ‘Dai’ is available in the community. Home based delivery is more convenient and involves less cost.

Case : 12

Age: 28 years

Village: Sudna

Month of Pregnancy: 5

Order of pregnancy: 3rd

Respondent was registered with sub center and had also received two TT injections. But her last experience of delivering children in hospital had not been good. Behavior of nurses in the hospital was not good, she said that when she was in acute pain the nurse shouted at her and asked her to keep lying on the bed and none of the family members were allowed to enter into the room. The respondent said that she did not had any complication, but as she had undergone regular antenatal check ups she went for institutional birthing. When her

labor pain started, ASHA and her mother in law accompanied her to the hospital. Everything was ok, however the nurse and doctor behaved harshly and they turned her away saying that she had come too early. It would appear that it was anticipated that if it was to be a normal labor the doctor did not think their services was necessary.

Her pains grew stronger and the fluid leakage started, by that time the doctor had left. She had to pay some amount to the staff nurse only then did she attend to her, and she delivered the baby within half an hour. She spent around Rs. 2000 for a normal delivery which included transportation, medicine, and miscellaneous payments to frontline workers. However during her first delivery she was at her natal place and as she gave birth to a male child her mother had to spend Rs. 500 inclusive of a set of cloths that she had to give to the Dai.

Case : 13

Name: Anjum

Age: 20 yrs

Village:

Case detail: Infant Death

This was the case of sheer negligence. Anjum had her first pregnancy. Despite the resistance from family Anjum decided to deliver in hospital and got registered at the sub center. She received TT Shots, underwent all antenatal check ups and took regular IFA. Fifteen days before the due date Anjum went to CHC for checkup, the gynecologist said that the heartbeat of the child was ok but the delivery will be only after 15 days. However within 3 or 4 days, Anjum had pain and she was rushed to hospital at around 2:00 pm, but neither doctor nor staff nurse were available. Ultimately ASHA went and called staff nurse from home and Anjum had normal delivery but the child was gasping. In the absence of doctor the nurse was unable to do anything, so she suggested to take the child to some other hospital. Anjum's family members kept on rushing from one place to another, finally they could catch hold of a doctor in a private nursing home, that too only when they had paid Rs 300 for fees, and by the time the paper formalities were done the child was declared dead. Anjum and her family members could not understand the reason of death. Anjum strongly feels that her child died just because of negligence and delay at each step, right from the beginning of delivery to reaching the doctor with the child seeking medical care. The ASHAs repeatedly said that in remote areas children are born by God's grace, we are here to facilitate institutional birthing, but due to the lack of proper transportation and infrastructure women still prefer home based delivery". The govt. facilities in no way meet the needs of the common women.

Case : 14

Name: Wakila

Age: 25 yrs

Wakila had her 2nd pregnancy and everything had gone well except that she could not afford money to pay the doctor. When she went to the hospital the doctor returned her saying that there is 2 to 3 days time. Also the nurse asked Wakila that if she wants delivery in hospital she should pay Rs. 700 in advance. As Wakila was not prepared to pay she came back and next morning she delivered the baby at home with the help of the Dai. Though Wakila was registered and had undergone all antenatal check ups and TT shots, she did not get the amount under JSY and neither did the ASHA. The ASHA said " We genuinely give our time and energy to convincing the pregnant mother for 9 months but the attitude of doctors make our efforts futile."

Case: 15

Name: Bhuri

Age: 28

Case Detail: Infant Death

This was another case of negligence. Bhuri had opted for delivery in hospital and she did deliver in hospital but not in the presence of a doctor or nurse. She had a normal delivery and her mother-in-law was there with her. She delivered the child in a standing position, but as no one was there the child fell on the ground and had brain injury and became unconscious. As it was a male child the family members were also active, they immediately took the child to a private nursing home where the doctor referred him to Delhi. But even after spending around Rs. 7000 / 8000 the child did not survive. The family members became furious. As they were powerless and could not their grievance officially against the hospital they directed their anger on to the ASHA. The ASHA says, after such cases people ask questions like "What's the point of going to hospital? If the doctor cannot deal with the case here, then why should we go to the doctor? Just for Rs.1400, are we going all the way to kill ourselves or our children?". As of now the face value of ASHAs is on stake, as she is the one who is in contact with the women directly.

Case: 16

Name: Meena

Village: Kathikhera

Case: Need of community based support group and peer learning

Geeta was a member of Action India Pregnant mother's group. She joined the group when she was pregnant for 2nd time. Initially she did not share much in the groups as she felt shy. But soon her inhibitions were over as through interaction in the group she learnt a lot. As she says "the main support I got was the knowledge of reproductive health from the health workers of Action India. In the family, before marriage girls are not allowed to discuss much on reproductive health. After marriage also I could not share anything with my mother in law. When I conceived, Kaushalya and Dulari didi(Action India health worker) contacted me and included me in Pregnant women's group. After joining the pregnant mother's group I got to learn a lot. We had many traditional myths on taking low diet during pregnancy and I used to bring my mother in law along with me to the meeting. She also learnt a lot and made me to take all precautions for safe delivery". Pregnant women's group is a platform where we could share our problems without any hesitation" Geeta feels that such support group in the community is of great help to women who cannot always afford to go to doctor and where hospitals are not accessible. She smilingly says "I had one delivery at home and one in hospital. The second child was born in GTB (government hospital)." The respondent is now active in the community and shares her knowledge with other women who are pregnant.

Interviews with Dai

Name: Kanta

Age: 55

Place: Sundarnagri

Kanta is a traditional Dai and is staying in the locality since last 25 years. Her experience of birthing is of more than 15 years. She has learnt the skill over the years. She started as an assistant and helped another experienced Dai. It is impossible for her to count the number of deliveries she has done. She shared one of her experience of handling a critical case of obstructed labour. She said that it was midnight and she was sleeping. Suddenly a woman knocked her door and called for help as she could not take her daughter to the hospital at midnight. When Kanta examined the girl she found that it was going to be critical time for herself and for the mother to be. But Kanta says "maine mata ko pranam karke (Goddess of birth) pahle ladki ko hosla diya phir ghante bhar uske kamar aur pet ki maalish karti rahi. Aur uski maa se garam chai dene ko kaha. takriban teen ghante tak yahi sab chalta raha aur subah 5 baje baccha hua. Ye meri jindagi ka pahla mushkil case tha. Shuru me to mai ghabrai thi par ekbar mata ka naam liya to phir hosla aa gaya". Kanta Dai is very fond of her work and she feels it is the most pious work that anybody can do. She feels fortunate to be selected by Almighty to choose her for this work. But she also complains that people are ready to pay thousands of rupees in hospital but they do not pay much to us. More so these days' women are relying more on hospitals and they ultimately land up in a mess. According to her the upcoming facilities in the name of hospital and private nursing home has left women nowhere. The facilities are inadequate and inaccessible. The Government hospitals either do not take care or they are overcrowded and the Private nursing homes are beyond their paying capacity.

Name: Bhudevi

Age: 65 years (a guess)

Area: Sundarnagri

Bhudevi is an old lady and has her grandsons and daughters all settled in Delhi. On asking her age she could only make some wise guessing and said that she must be around 65 years. Despite her age she looked quite energetic and jovial. Her way of talking to the women sitting in the group was quite friendly and all the women there appreciated her way of handling the birthing cases in the community. Bhudevi feels pride in saying that there has been no complication over the years and no child or women have died. She feels that God has also blessed her family with no mishappening in last two generations. Bhudevi says “

mai kharab case ko hamesha samay rahte hospital bhej deti thi aur jarurat ho to sath bhi chali jati thi..mere hath se kisi ki jaan nahi gayi isiliya shayad bhagwan ne mere ghar me bhi kabhi kuchh galat nahi hone diya” . However she also admits that now she has turned money minded as women call dais for assessing the situation and in the last moment they go to hospital. Thus now she has started charging for even one visit. Bhudevi said that normally women want home based birthing, but owing to some practical problems like no space at home, nuclear family having no one to take care of and the most common reason is that these days traditional dais are dying out. There are just two of us to cater to the whole locality. A few of the young girls have also developed an idea that they will get better attention in hospital and that in case of complication they are safe there. However, they either have to compromise with the worse situation in hospitals or have to move to private hospitals and spend a lot of money. She strongly recommends that there should be some separate arrangement for normal delivery in the community where with the help of Dai women deliver their children and go back home. For this more women should come forward to learn the skill and take it up as their profession so that community women also feel that they are in safe hands.

Name: Allahrakhi

Age: 60 years

Village: Ubarpur

The respondent is a “Dai”(Traditional Birth Attendant) practicing since last 30 years and has performed delivery of over 400 children. She learnt the skill from her mother in law. She says that in Ubarpur there are two “Dais” but not sufficient. She sarcastically said that government’s effort to bring women to the hospitals is all in vein as most of the women still prefer home based birthing. The only lust was the incentive they used to get under JSY, but getting money is not an easy task. According to her” sarkar ka kam hai hospital me suvidha dena naki bina suvidha k hospital me jabardasti bharti karma”

At first she tried to show that she had good knowledge of modern approach to birth, but later when a critical view on modern birthing process was presented, she felt safe and then shared that the earlier dais practiced the traditional methods which had strong religious and cultural roots, but gradual interference of medical science has totally demeaned the traditional methods. She said that ”ab to hum bhi waise hi prasav karate hai jaise ki hospital me hota hai, balki humlog jyada dhyan dete hai saaf safi par. Sarkari hospital me kuchh bhi suvidha nai hai. Mujhe to yaad bhi nahi ki maine kitne prasav karaya hai. Jab koi dikkat aati hai to turat doctor k paas bhej deti hu ab tak ek bhi case kharab nahi hua”.

Allahrakhi suggests that if ASHA, AWW and Dai work in coordination the pregnant women will get all the facilities provided by Government and also they should be trained on prenatal and postnatal care. Impressed by the method used by Action India health workers to disseminate information on reproductive health Allahrakhi said that this kind of initiative has lasting impact on women's health and is useful for every woman.

Name: Saroj

Age: 50 years

Village: Amarpur

Saroj saw her grandmother performing deliveries since her childhood and had a fascination for the work. But she was not trained by her grandmother; she took training from government hospital in nearby village "Pilakhua". She is the only dai in her village and earns a good amount from her work. Saroj says that though she takes money for performing delivery, but the actual satisfaction comes from safe delivery. She said that "*maa aur bachhe ki jimmedari hamari hoti hai isliye mai saf safai ka khas dhyan rakhti hun*". She takes extra care of health of mother and child and maintains hygiene by using gloves, thread and blade. On asking about her status in the village she said that "*is kaam ko izzat k nazar se nai dekhte hai par logo ko hum par pura bharosa bhi hai, hum bharosa nai tod sakte kyunki hame yahi rahna hai aur ye hamari rozi roti hai, sarkar ne to hame training dekar chhor diya. Humlog prasav se pahle aur prasav k baad tak jachha aur bachha ko dekhne jaate hai*". She specifically mentioned that sometimes she performs delivery in the absence of the family members. Mother's in Law or male members are away in the field or to the market; in the meantime she is called by neighbor and by the time the family members come the child is born. Saroj specially gives stress on the benefits of having a nearby help.

She informed that there are a few substitute ASHAs working in the village and they are not properly trained. According to her even the ASHAs are not getting proper facility to operate smoothly. The major hurdle in taking the pregnant women to the hospital is transport facility. There is only one van in the Community health center, Hapur which is generally sent for the so called powerful people of village. The only option is "Jugad" (local name of tempo). The roads of the villages are so bad that many a times women have to sustain long hours of unbearable pain or even deliver on the way. At that time only a Dai comes as a rescue or in complicated cases the women are at the brink of life and death. The whole process is tedious that woman usually pray that everything remains normal and they deliver at home.

Name: Savita

Age: 27 years

Place: Ayadnagar (north) Hapur

Savita is the youngest dai we met. We were surprised a little and asked who motivated her to get into this work, she spontaneously said “kyu? Is kaam me kya kharabi hai, maine apni marji se chuna is kaam ko”. She started to learn the skill out of her passion towards birthing. She says” mai to apne aadmi se bhi kah diya chahe tumhe acchha lage ya kharab mai to ye kam karungi” She was a little annoyed that her husband doesn't eats food cooked by her, at least the day I have performed delivery. But she also said that she hardly cares for all these social taboos.

In Conclusion

India stands at 132 among 179 countries ranked in the Human Development Index based on a list of indicators about health, wealth and social outlook in the study conducted by the UN Development Program (UNDP).⁸ The stagnation in India's rank in the U.N.'s HD Report between 2000 and 2007-08 is attributable to a sustained reluctance on the part of the government to move away from lateral interventions, to the selective "indicators" of the MDGs.

Failure to provide available, accessible, acceptable and quality health care for women during pregnancy and childbirth is a violation of women's rights to life, health, equality and non-discrimination. Respect and protection of women's rights to information and decision-making in reproductive health, to freedom from gender-based discrimination and violence, and to participation in planning and implementing health policies are critical for making pregnancy and delivery safer for women.

After more than a decade of programming for reproductive and child health, Indian Government acknowledged the problem and introduced "NRHM" to improve public health system and reduce MMR. Though NRHM has increased demand for deliveries in health facilities, however it could not ensure safe deliveries and continuum of care through antenatal and postnatal stages. Also it has not done much to ensure the reasons for the poor implementation of healthcare programs as they lack information about gaps in the health system.

Securing Reproductive Rights

It is therefore essential to recognize a woman's reproductive autonomy and health as critical to her human rights and stimulate advance reproductive rights initiatives, advocacy and policy. The combination of advocacy, policy work, and other strategies may ensure that government implement effective and equitable policies and programs to reduce maternal mortality.

Gender Sensitivity

It is essential to foster attitudinal and behavioral changes among service providers at all levels and their orientation towards reproductive rights. Both the medical fraternity and frontline health workers must be gender sensitive and accountable for their ill behavior

⁸ <http://hdr.undp.org/en/statistics/>

towards economically and socially disadvantaged, marginalized women. Strengthening and improving the reproductive health services may include provision of information to illiterates and poor communities, making staff available (reduce absenteeism), monitoring the availability of medicines and basic equipments and up grade the knowledge, skill and behavior of medical staff at public health systems.

Enhance Inclusion and Need to locate the vulnerable

Redefining the actual beneficiaries is the emergent need of the day, more essentially those who are less informed and do not get sufficient care. The antenatal coverage should stretch out to the socio economically disadvantaged groups and address their basic rights to health and dignity.

In the light of adolescent marriage and early child bearing it is now essential to include adolescents in the reproductive health systems, provide counseling and knowledge and increase interaction with health workers or the community trained women's group.

Recognizing Dais

The emphasis on institutional deliveries have ostracized the traditional roles of dais as the midwives of their villages, also the new policy paradigm has totally ignored the role of dais in any form of health care provisions. This abrupt shift does not recognize the thousand of birth attendants who were trained under various programs even beyond the launch of NRHM, including those being supported by government agencies.

Traditional birth attendants have immense potential in the communities for providing basic health care and must be brought under the ambit of NRHM. This may give them recognition and help them work in coordination with ASHA, ANM and Aanganwadi and avoid potential conflicts. The skilled and experienced dais is fast disappearing and the transfer of knowledge from the older to younger dai seems to have lost momentum. However, continued attendance by TBAs at home deliveries suggests potential to influence maternal and neonatal outcomes. Efforts to institutionalize the role of Traditional Birth Attendants (TBAs) in maternal and neonatal health programs have had limited success. Thus to motivate the new entrants it is essential to recognize their skill, set minimum standards for accreditation and organize formal training. The reorientation of 'Dai' may increase their efficiency to perform safe delivery and timely recognition of pregnancy related complications.

Budgetary provisions should be made within the overall family planning and RCH program, to give them financial support and motivate new entrants. TBAs also disseminate nutritional and dietary advice. Thus training on basic principles of nutrition may reduce undernourishment and non compliance to the iron foliate tablets in many communities.

Emergency Obstetric care Services

Although EmOC was one of the prime strategies, it was not implemented due to lack of focus and limited management capacity. Even today there is no systematic government monitoring of how many EmOC facilities are fully functional and what facilities are actually available against the required need. During the study in 15 villages of Hapur the stark reality of inadequacy of even the basic equipment at sub center level surfaced. Not a single sub center has had equipments to check blood pressure. Just training peripheral health workers to attend normal deliveries, or appointing ASHA under NRHM with no feasible medical backup (functioning sub centers and regularity of doctors) may not likely make much difference in current high rates of maternal death.

A cumulative approach should be made towards access to EmOC, focused antenatal and postnatal care, birth preparedness and complication readiness. Improving access to emergency obstetric care does not necessarily need building new hospitals or training new cadres of workers. Community awareness on signs of obstetric risks among women, TBAs and other frontline workers may also minimize maternal mortality risks. Much can be achieved by improving the functioning and utilization of existing facilities and personnel. To a significant extent, this is a problem of policies, priorities, and management, not of resources.

Rationalized resource allocation

Owing to the inadequate and unequal distribution of services in the villages and the existing socio economic gaps in society, the accessibility to the services has also been partial for those who reside in remote areas. There has been proliferation of private hospitals and nursing homes which has raised the cost of healthcare. At the same time public healthcare services, which were never adequate, are now shrinking. The public health system needs to focus and operate more efficiently, reach out to the poor and target resources to them.

A campaign should be launched to activate govt. policies to build a comprehensive reproductive healthcare movement, addressing all sides of the issue – delivery, providers, policies, government obligations and accessibility.

Regulating Clinics: Making Abortion Safe

India legalized abortion in 1971 through its MTP Act. This allows clinical abortion if pregnancy carries the risk of grave physical harm to a woman or endangers her mental health or is likely to lead to physically or mentally abnormal child. However the implementation of such restrictive laws is still under question mark.

Despite the existing restrictive, laws like PCPNDT and MTP, sex selective abortions are common both in urban resettlement colonies and rural areas. Owing to exorbitant charges for safe abortion, cheap backdoor alternatives are opted which is highly unsafe and cause mortality due to abortion. It is therefore essential for Govt. to make available "safe abortion" services in the remote areas, regulate clinics and penalize providers of unsafe abortions.

In order to substantially minimize abortion related mortality, family counseling should be done to make men more responsible and prevent unwanted pregnancies due to contraceptive failure. This may avoid repeated abortions and ensure the well being of women and children and post abortion care. Also it may reduce the demand for sex selective test and abortion. The overall mission to improve the social status and value of girls and women's empowerment are also needed to promote women's decision making power within families. RCH programs have to be gender based and develop a strategy of informed choice.

Awareness Generation

The survival of mothers is an issue of extreme health importance and improving survival is a great challenge, particularly in rural areas where almost no health system exists. However, during the study we realized that motivation is very strong in the village but need to be supplemented with awareness generation and community mobilization to address complex, long-term issues involved in assuring quality health. That is building a method for "Social Audit" through access and demand.

Consistent observations and experiences have proved the importance of organizing women's group on issues of gender and reproductive health, create demand for better health services and develop strategies for policy advocacy. To this end the recommendation is to bring together and consolidate the experience of rural and urban women to articulate their needs and rights as equal citizens in India.

Active Panchayati Raj Institutions

Awareness of PRIs on rights and participation in women's health issues may strengthen the women's groups further to take local action and generate demand for health services, improve the utilization and quality of services and save women's lives and their new born. The National Population Policy already proposes to form the sub-committee to monitor health RCH programs, which in villages do not exist or are ineffective. Formation and Capacity building of such committees may lead to establish linkage between community, public health and hospital systems in a standing relationship to decrease the high maternal mortality. Ultimately community awareness will address the poor implementation of ongoing Govt. programs i.e the issue related to facilities for transportation , improving road conditions, the cost of seeking care, avoid multiple referrals to different health facilities through educating the community and making them self reliant.

Reducing IMR

There is no coherent child health policy in India, except for a few programs such as ICDS, immunization, Vitamin-A supplementation, etc. The intention of ICDS was good and well-planned. But the whole package of ICDS interventions has never been implemented besides a few convenient fragments of the scheme. The Aanganwadi worker has limited their role to collect as many as children, give them few food items and fill up the registers. Thus it has become incomplete and inadequate to meet the needs of child health nutrition program aimed to ensure child survival in the 0-6 years.

In order to reduce infant mortality, increase in number of visits to newborn babies, imparting child health education to mothers, making safe deliveries, helping mothers in taking care of low-birth-weight babies is required. A decentralized healthcare model of self-help health, aimed at reducing maternal and infant mortality may empower community to seek services on time. The village level health worker / TBAs must be trained to gain skills of diagnosing and basic equipment and medicines must also be made available at sub-center level.

Establishing Community Based maternity centers

Another important key recommendation and choice of women was a community based maternity rooms or a community hub with facilities required for safe delivery, wherein the normal deliveries could take place safely. Also delivery related health risks could be minimized especially for women who cannot access the health services or those who are at risk of minor delivery complications, which are usually handled by the TBAs. "Safe Delivery" should be considered as the core of reducing maternal mortality rather than pitching institutional delivery against home based delivery.

Indigenous Health Systems and Medicines

Women in urban resettlement colonies or in rural areas still believe in traditional systems like Ayurveda/ Unani etc. to promote maternal and child health. However, over decades, there has been a conscious neglect of traditional practices and an erosion of local health heritage knowledge as well as medicinal plants. In order to mainstream these systems it is essential to assess and validate them and promote them at the PHC level through dispensing traditional medicines for preserving health. This may be achieved through community participation and capacity building of community based groups and health workers on the local availability and promotion of traditional medicine and preventing misuse of antibiotics and injections.

Improving Social status of women

Under aegis of the Ministry of Women and Child Development a gender based program in collaboration with NGOs working with a focus on Women's Health with a Right Based Approach should be developed to address underlying factors of maternal mortality health holistically. Improving women's secondary status, identifying and analyzing the causes of inequality and discrimination suffered by women from birth to death is an obligation the State must fulfill to keep its commitment to CEDAW.

Rights based approach to enhance the ability of girls and women to negotiate all the entitlements that promote safe motherhood such as accessing nutrition, being supported in making choices regarding marriage, negotiating safe sex, increasing citizen voice to demand accessible high quality services and finally, increased influence over political processes that decide policy and resource priorities.

This in turn require the improvement of delivery of a comprehensive package of maternal and child health and nutrition interventions, including the promotion of water supply, sanitation and hygiene services, to urban and rural poor communities, an integrated approach through strategic collaboration with other departments is recommended.

Recommendations

Reduction of mortality of women and children has been an area of concern across the globe. Being signatory to several international treaties, India is committed to a human rights approach and to set appropriate mechanism to prevent maternal mortality and morbidity. However, the recurrent gaps in policies and practice suggest strengthening accountability and gaining the required momentum for inclusive reproductive health interventions. Based on the voices raised from the ground and we have collected evidences through primary and secondary sources which we put forward as recommendations to concerned persons and agencies.

- We believe that poor nutrition and low body weight both are compounded by early child bearing has to be addressed as the major root cause embedded in poverty and all forms of gender based violence socio economic factors will have to be addressed by a **paradigm change in inclusive growth in order to achieve the goals set for reducing MMR and IMR**. Therefore we will have to enhance inclusion and locate the vulnerable by stretching out to the socioeconomic disadvantaged groups and address their basic rights to health and dignity.
- **Safe delivery and Informed Choice should be considered** as the core of reducing maternal mortality rather than pitching institutional delivery against home based delivery. A community based maternity room or a community hub with basic equipments and facilities required for safe delivery is suggested, along with community based trained workers and support group.
- Efforts should be made to **institutionalize the role of Traditional Birth Attendants** (TBAs) in maternal and neonatal health programs by bringing them under the ambit of NRHM. A cumulative approach should be made towards access to EmOC, continuum of antenatal and postnatal care, birth preparedness and complication readiness.
- Ensure delivery of **comprehensive package of maternal and child health** and nutrition interventions, including the promotion of water supply, sanitation and hygiene services, to urban and rural poor communities, an integrated approach through strategic collaboration with other departments is recommended.

- Foster **attitudinal and behavioral changes among service providers** at all levels and their orientation towards reproductive rights. The aanganwadi could become the space for pregnant women to come together weekly and share their joys and sorrows. Aanganwadi workers and helpers would need to be oriented towards gender equality; family planning and women's control of their body; contraception and informed choice. They would in the process recognize the outcome of son preference and misuse of ultrasound for sex determination and break the vicious circle of repeated abortions of female fetus.
- To bring together and consolidate the experience of rural and urban women to articulate their needs and rights as equal citizens in India. **Organizing women's group** on issues of gender and reproductive health, create demand for better health services and develop strategies for policy advocacy.
- **Grievance Mechanisms**
And finally having recognized the need for systemic change we recommend a grievance cells in every district, block and taluka to enable health care users to feedback their experience needs and demands to the health functionaries. Systemic change requires regular monitoring and review by the concerned authorities and implementing agencies on a sustained basis to ensure the needs of poorest of the poor women are met and our ultimate goal of eliminating maternal mortality is successfully achieved.

References

- Maternal mortality in 2005: estimates developed by WHO, UNICEF and UNFPA and The World Bank. *Department of Reproductive Health and Research, World Health Organization, Geneva 2007.*
- NFHS 3 report
- India's silent tragedy: Maternal mortality finds a voice October 7th, 2008 - 5:25 pm ICT by ANI
- Sample Registration Surveys of the Registrar General of India, 2006
- Sahyog Study : A Study On Women's Experience of Institutional Delivery
- Action India pilot study on MMR and the reports of Self Help Health Program
- Claiming Dignity Reproductive Rights & The Law/Anubha Rastogi/HRLN
- "UPPP Ignores the ground realities", Rashme Sehgal, Infochange India
- http://whqlibdoc.who.int/hq/2004/WHO_RHR_04.8.pdf
- <http://reproductive rights.org/en/press-room>
- Maternal mortality in 2005: estimates developed by WHO, UNICEF and UNFPA and The World Bank.
- ¹ <http://hdr.undp.org/en/statistics/>
- **CEDAW** committee in its General Recommendation no.24, Article 12
- "Substantive Issues Arising in the Implementation of the International Covenant on Economic, Social and Cultural Rights," General Comment No.

Abbreviations

NRHM	National Rural Health Mission
RCH	Reproductive Child Health
ICDS	Integrated Child Development Scheme
PHC	Primary Health Center
EoCS	Emergency Obstetric Care Services
TBA	Trained Birth Attendants
ASHA	Accredited Social Health Activists
NPP	National Population Policy
UPPP	Uttar Pradesh Population Policy
CEDAW	Convention on the Elimination of Discrimination Against Women
MDG	Millennium Development Goal
JSY	Janani Suraksha Yojna, Motherhood Protection Scheme
ICESCR	International Covenant on Economic, Social and Cultural Rights
CHC	Community Health Centers
ANM	Auxiliary Nurse Midwife
FGD	Focus Group Discussion
NFHS	National family Health Survey
UNHDR	United Nations Human Development Report

Glossary

1	Accredited Social Health Activist	A female health worker appointed under the National Rural Health Mission
2	Anganwadi	Government-run early childhood care and education center.
3	Anganwadi workers'	duties include providing nutritional supplements to pregnant and lactating mother
4	Antenatal care	Care during pregnancy (termed "prenatal care" in American English)
5	Auxiliary Nurse-Midwife	A field based health worker usually posted in health sub-centers and primary health centers
6	Block	Administrative division of a district
7	Community Health Center	Thirty-bed government health facilities in rural India providing secondary health care
8	Emergency obstetric care	Obstetric care that includes the ability to provide life-saving interventions through surgery (cesarean sections) and blood transfusions
9	Janani Suraksha Yojana	Motherhood Protection Scheme, an NRHM scheme that promotes facility-based deliveries through cash incentives for pregnant women and community-based female health volunteers
10	Maternal death	Death during pregnancy or within 42 days of childbirth or abortion, caused directly or indirectly by pregnancy
11	Maternal mortality ratio	Number of maternal deaths per 100,000 live births
12	Millennium Development Goals	Eight goals that 189 countries have pledged to achieve by 2015, including a 75 percent maternal mortality reduction compared to its 1990 levels (MDG 5).
13	National Family and Health Survey	A periodic all-India sample survey funded by the Indian government and international agencies
14	National Rural Health Mission	The Indian government's flagship program on rural health care for the period 2005-2012
15	Postnatal period	42 days from termination of pregnancy
16	Postnatal care	Health care for women after termination of pregnancy up to 42 days from date of termination of pregnancy
17	Primary Health Center	Basic health facility in rural areas catering to a population of 30,000